

Professional Multichannel Simultaneous Interpretation System with Full Relay Capabilities

The Enersound TSP12-25 Professional System is designed to work when more than two target languages and full relay capabilities are needed. This 25-person Professional Wireless Simultaneous Translation System provides superior sound quality and excellent coverage range, combining multiple-channel transmitter and receivers, as well as multichannel interpreter consoles with full relay capabilities. It can be expanded by adding an unlimited number of additional receivers. More foreign languages can be added by purchasing 1 additional IC-12 console, transmitter and headset per additional target language

Note: These systems require a human language interpreter, they do not translate automatically.

We offer **FREE Fedex Ground shipping within the USA** on all items but full-size booths.

T-500 Multichannel FM Transmitter



T-500 Multichannel Base Transmitter

The T500 transmitter features 3 main audio inputs that allow the direct connection of virtually any audio source. It also has a recording output and a 3.5 mm monitor headphone jack. Its LCD display allows to easily program the various useful functions, such as test tone, RF power level, display mode (frequencies or channel numbers corresponding to the Enersound R-120 receiver), channel lock.

Add up to six languages by purchasing one additional transmitter and mic. per language. The T-500 has an operating range of 500 ft. and is compatible with most systems operating on the 72-76 MHz frequency band.

R-120 Multichannel FM Receiver + Dual Headphones for audience



R-120 Multichannel FM Receiver



EAR-120 Dual Headphones



Special prices on bulk orders

The Enersound R-120 receiver is ideal for all kinds of conferences and events. It is a multichannel solution, compatible with most FM systems currently on the market that operate on the 72-76 MHz frequency band.

Add-on any number of receivers as required for the size of your audience. The R-120 receiver has a digital LCD display with channel, low battery and volume level indicators. It also features a channel lock function and it's compatible with stereo earphones. Multiple carrying options: belt clip, neck strap and velcro arm-band.

Sennheiser Headset for the interpreter

Lightweight high quality stereo Headset Microphone for professional usage.
Passive noise-canceling for clear communication.
Adjust the volume or mute the mic with the convenient inline controls.
Plug-and-play dual 3.5 mm jacks and 2-year warranty



IC-12 Interpreter Console



The Enersound IC-12 is a 12-channel dual interpreter console with full relay capabilities. It allows two interpreters to work together. Interpreters can choose either floor channel to listen to the speaker and perform direct interpretation or choose the relay mode (and listen to the interpretation from a different booth in a language that this interpreter can understand). The audio level buster enables interpreters to clearly listen to the interpretation from another interpreter booth as well as the floor language at a good volume level despite background noises and still have room to increase it if needed. The IC-12 also allows interpreters to switch on/off and mute their microphones, easily select the outgoing channel depending on the language they are interpreting into (two-way interpretation), and control the headphone volume.

CU-12 Control Unit




The system can be integrated with most infrared (IR) or radio frequency (RF) language discussion systems. It allows up to 22 interpreters to perform simultaneous interpretation for a maximum of 11 target languages plus 1 floor (original) language. It prevents two interpreters to select the same outgoing channel at the same time.

6m Cable for IC-12 and CU-12 Interpreter Consoles



DIAGRAM OF A MULTILINGUAL INTERPRETATION SYSTEM WITH CU -12 / IC-12



*THIS IS A SAMPLE SCENARIO. LANGUAGES AND COMBINATIONS MAY CHANGE

Optional Items

Carrying Cases

We offer a wide variety of cases to store and transport translation & interpretation systems. Available in different sizes for most packages. Each case's lid is lined with convoluted high-density polyurethane foam to gently secure items so no movement or damage may occur during transport.



CAS-10 Carrying Case

Designed to store and carry up to 10 Enersound R-120 FM receivers and accessories. It has a strong polypropylene body, metal core hinges, nylon latches and an integrated handle.



CAS-25 Carrying Case

This 25-unit watertight carrying case is designed to store and carry up to 25 Enersound R-120 FM receivers and accessories. It is waterproof, impact resistant, crushproof, dustproof. It is made of strong, yet lightweight NK-7™ resin.

Earphones and Headphones

We offer a variety of headphones for the audience to make the most of your interpretation equipment.



EAR-102 Single-ear Earphones for R-120 Receiver

It's recommended that you upgrade from the complimentary headphones to the single-ear clip on earphones that are flexible, comfortable, easy to clean, reusable and have optimal sound quality.



Lightweight Over-the-head Headphones

Lightweight, comfortable, sturdy enough, and their sound is very clear, making it a convenient choice for a low budget.

Batteries and Chargers

We offer Batteries and Chargers for your translation & interpretation equipment. Alkaline and rechargeable batteries available as well as fast charging stations and chargers.



5-FM Receivers Rechargeable System Pack.

Includes:

- (1) 12-Bay LCD Fast Battery Charger/ Discharger with USB Output
- (12) AAA Ni-MH rechargeable batteries



10-FM Receivers Rechargeable System Pack.

Includes:

- (1) 12-Bay LCD Fast Battery Charger/ Discharger with USB Output
- (20) AAA Ni-MH rechargeable batteries



25-FM Receivers Rechargeable System Pack

Includes:

- (1) 16-Bay LCD Fast Battery Charger/ Discharger with USB Output
- (52) AAA Ni-MH rechargeable batteries.



Alkaline batteries for Enersound R-120 FM receivers. Non-rechargeable battery, one time use only.



Additional Rechargeable Batteries for R120 Receiver | Options:

- **4 AAA Rechargeable Batteries 800mAh:** 4 pcs Low Self-Discharge Ni-MH Rechargeable AAA Battery.
- **24 AAA Rechargeable Batteries 800mAh:** 6 pcs of a 4 Pack Low Self-Discharge Ni-MH Rechargeable AAA Battery.

Additional set of TP-600 17-channels battery operated transmitter with headband microphone MIC-200 –SEN - Ideal for events that require mobility (tours of factories, guided tours, meetings in small halls, etc.)




Interpreter Booths

Ideal for simultaneous interpretation, meetings and conferences, our booths provide the perfect visual and two-way audio communication between the interpreters and the participants. They provide acoustic separation between interpreters and the conference participants allowing for a comfortable working environment.

Table top Interpretation Translation Booth


The portable two-person simultaneous interpretation booth is easy to assemble and ideal for workshops and small meetings where space is limited.



Sound-Proof Interpretation Booth

A fully enclosed interpretation booth provides acoustic separation between interpreters and the conference participants allowing for a comfortable working environment. This enables interpreters to maintain the intense effort of concentration required by their work and reduces the sound of their voices from outside the booth.

Includes (2) H.D. 55 CFM silent whisper 110 volts fan assembly unit CSA approved with (2) electric outlet for accessories and (2) ATA shipping cases on wheels (105 Kg for 2 cases)



Economy Full Size Voice-Over/Translation Booth

Designed to be used in translation, interpretation, and voice-over applications. This booth will fit one or two people seated comfortably at a table.